



Friday, June 12, 2020

Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Project ID: ORANGE MS4
SDG ID: GCG08085
Sample ID#s: CG08085 - CG08096

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

June 12, 2020

SDG I.D.: GCG08085

Project ID: ORANGE MS4

Client Id	Lab Id	Matrix
01	CG08085	STORM WATER
02	CG08086	STORM WATER
03	CG08087	STORM WATER
04	CG08088	STORM WATER
05	CG08089	STORM WATER
06	CG08090	STORM WATER
07	CG08091	STORM WATER
08	CG08092	STORM WATER
09	CG08093	STORM WATER
10	CG08094	STORM WATER
11	CG08095	STORM WATER
12	CG08096	STORM WATER



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/05/20 9:45
06/05/20 15:42

SDG ID: GCG08085

Phoenix ID: CG08085

Project ID: ORANGE MS4
Client ID: 01

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	399	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date Time

06/05/20 10:07
06/05/20 15:42

SDG ID: GCG08085

Phoenix ID: CG08086

Project ID: ORANGE MS4
Client ID: 02

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	<10	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	13000	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date Time

06/05/20 10:27
06/05/20 15:42

SDG ID: GCG08085

Phoenix ID: CG08087

Project ID: ORANGE MS4
Client ID: 03

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	1110	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/05/20

10:29

06/05/20

15:42

Project ID: ORANGE MS4
Client ID: 04

Laboratory Data

SDG ID: GCG08085

Phoenix ID: CG08088

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	3260	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/05/20

10:41

06/05/20

15:42

Project ID: ORANGE MS4
Client ID: 05

Laboratory Data

SDG ID: GCG08085

Phoenix ID: CG08089

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	750	100	MPN/100 mls	100	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	120000	100	MPN/100 mls	100	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/05/20 10:42
06/05/20 15:42

SDG ID: GCG08085

Phoenix ID: CG08090

Project ID: ORANGE MS4
Client ID: 06

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	933	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/05/20

10:51

06/05/20

15:42

SDG ID: GCG08085

Phoenix ID: CG08091

Project ID: ORANGE MS4
Client ID: 07

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	6490	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date Time

06/05/20 11:06
06/05/20 15:42

SDG ID: GCG08085

Phoenix ID: CG08092

Project ID: ORANGE MS4
Client ID: 08

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	12200	1000	MPN/100 mls	1000	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	203000	1000	MPN/100 mls	1000	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/05/20 11:37

06/05/20 15:42

SDG ID: GCG08085

Phoenix ID: CG08093

Project ID: ORANGE MS4
Client ID: 09

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	538	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	19900	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date Time

06/05/20 12:07
06/05/20 15:42

SDG ID: GCG08085

Phoenix ID: CG08094

Project ID: ORANGE MS4
Client ID: 10

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	1050	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date Time

06/05/20 12:07
06/05/20 15:42

SDG ID: GCG08085

Phoenix ID: CG08095

Project ID: ORANGE MS4
Client ID: 11

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	1220	100	MPN/100 mls	100	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	141000	100	MPN/100 mls	100	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/05/20

12:48

06/05/20

15:42

Project ID: ORANGE MS4
Client ID: 12

Laboratory Data

SDG ID: GCG08085

Phoenix ID: CG08096

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	933	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SM9223B-04
Total Coliforms	13000	10	MPN/100 mls	10	06/05/20 16:50	J/RVM/L	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 12, 2020

Reviewed and Released by: Rashmi Makol, Project Manager

Friday, June 12, 2020

Criteria: CT: GWP, SWP

State: CT

Sample Criteria Exceedances Report

GCG08085 - WESTSAMP

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
*** No Data to Display ***								

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedances. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

June 12, 2020

SDG I.D.: GCG08085

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.



Tuesday, June 16, 2020

Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Project ID: ORANGE MS4
SDG ID: GCG12284
Sample ID#s: CG12284 - CG12307

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



SDG Comments

June 16, 2020

SDG I.D.: GCG12284

Sample CG12284 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12284 was received past hold time for Total Coliforms (SW9223B).
Sample CG12285 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12285 was received past hold time for Total Coliforms (SW9223B).
Sample CG12286 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12286 was received past hold time for Total Coliforms (SW9223B).
Sample CG12297 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12297 was received past hold time for Total Coliforms (SW9223B).
Sample CG12298 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12298 was received past hold time for Total Coliforms (SW9223B).
Sample CG12299 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12299 was received past hold time for Total Coliforms (SW9223B).
Sample CG12300 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12300 was received past hold time for Total Coliforms (SW9223B).
Sample CG12301 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12301 was received past hold time for Total Coliforms (SW9223B).
Sample CG12302 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12302 was received past hold time for Total Coliforms (SW9223B).
Sample CG12303 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12303 was received past hold time for Total Coliforms (SW9223B).
Sample CG12304 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12304 was received past hold time for Total Coliforms (SW9223B).
Sample CG12305 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12305 was received past hold time for Total Coliforms (SW9223B).
Sample CG12306 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12306 was received past hold time for Total Coliforms (SW9223B).
Sample CG12307 was received past hold time for Escherichia Coli (SM9223B).
Sample CG12307 was received past hold time for Total Coliforms (SW9223B).



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

June 16, 2020

SDG I.D.: GCG12284

Project ID: ORANGE MS4

Client Id	Lab Id	Matrix
10 608	CG12284	STORM WATER
14 608	CG12285	STORM WATER
17 608	CG12286	STORM WATER
01 529	CG12287	STORM WATER
02 529	CG12288	STORM WATER
02 611	CG12289	STORM WATER
04 611	CG12290	STORM WATER
28 608	CG12291	STORM WATER
29 608	CG12292	STORM WATER
30 608	CG12293	STORM WATER
32 608	CG12294	STORM WATER
01 609	CG12295	STORM WATER
06 609	CG12296	STORM WATER
07 609	CG12297	STORM WATER
14 609	CG12298	STORM WATER
15 609	CG12299	STORM WATER
12 609	CG12300	STORM WATER
17 609	CG12301	STORM WATER
16 609	CG12302	STORM WATER
37 609	CG12303	STORM WATER
06 610	CG12304	STORM WATER
04 610	CG12305	STORM WATER
25 609	CG12306	STORM WATER
24 609	CG12307	STORM WATER



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

06/11/20 9:28

Time

17:53

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12284

Project ID: ORANGE MS4
Client ID: 10 608

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	316	10	MPN/100 mls	10	06/11/20 17:55	LJ/KDB	SM9223B-04
Total Coliforms	19900	10	MPN/100 mls	10	06/11/20 17:55	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

06/11/20 9:44
06/11/20 17:53

Time

Project ID: ORANGE MS4
Client ID: 14 608

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12285

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	1010	10	MPN/100 mls	10	06/11/20 17:55	LJ/KDB	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 17:55	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

06/11/20 9:45
06/11/20 17:53

Time

Project ID: ORANGE MS4
Client ID: 17 608

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12286

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	172000	1000	MPN/100 mls	1000	06/11/20 17:55	LJ/KDB	SM9223B-04
Total Coliforms	>2420000	1000	MPN/100 mls	1000	06/11/20 17:55	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 10:28
06/11/20 17:53

Project ID: ORANGE MS4
Client ID: 01 529

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12287

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	34500	1000	MPN/100 mls	1000	06/11/20 17:55	LJ/KDB	SM9223B-04
Total Coliforms	>2420000	1000	MPN/100 mls	1000	06/11/20 17:55	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 10:28
06/11/20 17:53

Project ID: ORANGE MS4
Client ID: 02 529

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12288

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	28800	1000	MPN/100 mls	1000	06/11/20 17:55	LJ/KDB	SM9223B-04
Total Coliforms	2420000	1000	MPN/100 mls	1000	06/11/20 17:55	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 10:36
06/11/20 17:53

Project ID: ORANGE MS4
Client ID: 02 611

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12289

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	292	10	MPN/100 mls	10	06/11/20 17:55	LJ/KDB	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 17:55	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 10:52
06/11/20 17:53

Project ID: ORANGE MS4
Client ID: 04 611

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12290

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	4100	1000	MPN/100 mls	1000	06/11/20 17:55	LJ/KDB	SM9223B-04
Total Coliforms	770000	1000	MPN/100 mls	1000	06/11/20 17:55	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 11:39
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12291

Project ID: ORANGE MS4
Client ID: 28 608

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	414	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	14100	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 11:40
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12292

Project ID: ORANGE MS4
Client ID: 29 608

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	1620	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	15500	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 11:40
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12293

Project ID: ORANGE MS4
Client ID: 30 608

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	246	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 11:56
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12294

Project ID: ORANGE MS4
Client ID: 32 608

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	332	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	9800	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 12:40
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12295

Project ID: ORANGE MS4
Client ID: 01 609

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	529	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	19900	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 12:59
06/11/20 17:53

Project ID: ORANGE MS4
Client ID: 06 609

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12296

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	231	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	10500	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 1:00
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12297

Project ID: ORANGE MS4
Client ID: 07 609

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	384	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	13000	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 1:17
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12298

Project ID: ORANGE MS4
Client ID: 14 609

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	18700	1000	MPN/100 mls	1000	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	816000	1000	MPN/100 mls	1000	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 1:18
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12299

Project ID: ORANGE MS4
Client ID: 15 609

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	256	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	15500	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 1:25
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12300

Project ID: ORANGE MS4
Client ID: 12 609

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	776	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 1:37
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12301

Project ID: ORANGE MS4
Client ID: 17 609

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	223	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 1:39
06/11/20 17:53

SDG ID: GCG12284

Phoenix ID: CG12302

Project ID: ORANGE MS4
Client ID: 16 609

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	183	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	19900	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

06/11/20 3:35
06/11/20 17:53

Time

Project ID: ORANGE MS4
Client ID: 37 609

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12303

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	15500	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

06/11/20 4:01
06/11/20 17:53

Time

Project ID: ORANGE MS4
Client ID: 06 610

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12304

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	5790	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 4:09
06/11/20 17:53

Project ID: ORANGE MS4
Client ID: 04 610

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12305

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	3870	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 4:24
06/11/20 17:53

Project ID: ORANGE MS4
Client ID: 25 609

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12306

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	882	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Reference

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 16, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
273 Dividend Rd
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: JM
Received by: SW
Analyzed by: see "By" below

Date

Time

06/11/20 4:30
06/11/20 17:53

Project ID: ORANGE MS4
Client ID: 24 609

Laboratory Data

SDG ID: GCG12284

Phoenix ID: CG12307

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SM9223B-04
Total Coliforms	>24200	10	MPN/100 mls	10	06/11/20 19:20	LJ/LJ	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

June 16, 2020

Reviewed and Released by: Rashmi Makol, Project Manager

Tuesday, June 16, 2020

Criteria: CT: GWP, SWP

State: CT

Sample Criteria Exceedances Report

GCG12284 - WESTSAMP

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
*** No Data to Display ***								

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedances. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

June 16, 2020

SDG I.D.: GCG12284

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

PHOENIX

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Customer: Weston & Sampson
Address: 273 Dividend Road
Roxbury Hill, CT

CHAIN OF CUSTODY RECORD

Project: Orange MS4

Report to: Raju Vasanthi

Invoice to: Raju Vasanthi

QUOTE #

Customer's Signature: Julian Moon

Date: 6/11/20

Analysis Request

Project P.O.:

This section **MUST** be completed with

Bottle Quantities.

Project P.O.:

Raju Vasanthi

Coolant: Yes No
Coolant: IPK ICE No
Temp 30 Pg. of
Data Delivery/Contact Options:
Fax: _____
Phone: _____
Email: Raju.Vasanthi@wseinc.com

Customer Sample - Identification

Matrix Code:

DW=Drinking Water

GW=Ground Water

SW=Surface Water

WW=Waste Water

SE=Raw Water

SL=Sediment

SD=Sludge

SO=Soil

SW=Soil Slurry

W=Wipe

OL=Oil

B=Bulk

L=Liquid

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

Customer Sample Identification



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040

Email: info@phoenixlabs.com

Fax (860) 645-0823

Client Services (860) 645-8726

Customer: Weston & Sampson

Address: 273 Dividend Road

Roxbury Hill, CT

Customer: Julian Moon

Date: 6/11/20

Analysis Request

Project P.O.:

Raju Vasanthi

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Relinquished by: Julian Moon

Accepted by: Raju Vasanthi

Date: 6/11/20

Time: 1753

RI: Direct Exposure (Residential)

GW: GW Protection

SW: SW Protection

GA: GA Mobility

GB: GB Mobility

Residential DEC

I/C DEC

MWRA eSMART

Other

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Comments, Special Requirements or Regulations:

Please bill to:

Raju Vasanthi

Please email to:

Raju Vasanthi

* SURCHARGE APPLIES

Comments, Special Requirements or Regulations:

Please bill to:

PHOENIX

Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: Info@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Customer: Weston & Sampson
Address: 273 Dividend Road
Roxbury Hill, CT

CHAIN OF CUSTODY RECORD

<p>Customer: <u>Weston & Sampson</u> Address: <u>273 Dividend Road</u> Roxbury Hill, CT</p>		<p>Project: <u>Oil & Gas</u> Report to: <u>Rajiv Jasamsetti</u> Invoice to: <u>Rajiv Jasamsetti</u> QUOTE #:</p>	
<p>Sampler's Signature: <u>Jessica Monti</u></p>		<p>Date: <u>6/11/00</u></p>	
<p>Matrix Code: DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wire OIL=Oil B=Bulk L=Liquid</p>		<p>Analysis Request</p>	
<p>PHOENIX USE ONLY</p>		<p>Customer Sample Identification</p>	
SAMPLE #		Sample Matrix	Date Sampled
12294	04 609	SW	6/11/00
12297	07 609	SW	6/11/00
12298	14 609	SW	6/11/00
12299	15 609	SW	6/11/00
12300	12 609	SW	6/11/00
12301	17 609	SW	6/11/00
12302	16 609	SW	6/11/00
12303	37 609	SW	6/11/00
12304	616	SW	6/11/00
12305	64 610	SW	6/11/00
12306	25 609	SW	6/11/00
12307	24 609	SW	6/11/00
<p>Relinquished by: <u>Jessica Monti</u></p>		<p>Accepted by: <u>Rajiv Jasamsetti</u></p>	
<p>Date: <u>6/11/00</u></p>		<p>Time: <u>11:20</u></p>	
<p>RI</p>		<p>CT</p>	
<p><input type="checkbox"/> Direct Exposure (Residential)</p>		<p><input checked="" type="checkbox"/> RCP Cert</p>	
<p><input type="checkbox"/> GW Protection</p>		<p><input type="checkbox"/> GW Protection</p>	
<p><input type="checkbox"/> SW Protection</p>		<p><input type="checkbox"/> SW Protection</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> GA Mobility</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> GB Mobility</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> Residential DEC</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> I/C DEC</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> Other</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> MWRA eSMART</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> Other</p>	
<p><input type="checkbox"/> MCP Certification</p>		<p><input type="checkbox"/> MCP Certification</p>	
<p><input type="checkbox"/> GW-1</p>		<p><input type="checkbox"/> GW-1</p>	
<p><input type="checkbox"/> GW-2</p>		<p><input type="checkbox"/> GW-2</p>	
<p><input type="checkbox"/> GW-3</p>		<p><input type="checkbox"/> GW-3</p>	
<p><input type="checkbox"/> S-1</p>		<p><input type="checkbox"/> S-1</p>	
<p><input type="checkbox"/> S-2</p>		<p><input type="checkbox"/> S-2</p>	
<p><input type="checkbox"/> S-3</p>		<p><input type="checkbox"/> S-3</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> Other</p>	
<p><input type="checkbox"/> Data Package</p>		<p><input type="checkbox"/> Data Package</p>	
<p><input type="checkbox"/> Tier II Checklist</p>		<p><input type="checkbox"/> Tier II Checklist</p>	
<p><input type="checkbox"/> Full Data Package*</p>		<p><input type="checkbox"/> Full Data Package*</p>	
<p><input type="checkbox"/> Phoenix Std Report</p>		<p><input type="checkbox"/> Phoenix Std Report</p>	
<p><input type="checkbox"/> Other</p>		<p><input type="checkbox"/> Other</p>	

* SURCHARGE APPLIES

State where samples were collected: CT

Jasamsetti@wseinc.com

* SURCHARGE APPLIES

<p>Cooler: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Coolant: <input type="checkbox"/> IPK <input checked="" type="checkbox"/> ICE <input type="checkbox"/> Pg. of</p>	
<p>Temp: <u>100</u> °C Data Delivery/Contact Options:</p>	
<p><input type="checkbox"/> Fax: <input type="checkbox"/> Phone: <input checked="" type="checkbox"/> Email: <u>Jasamsetti@wseinc.com</u></p>	<p>Project P.O.: <u>MSY</u></p>
<p>This section MUST be completed with Bottle Quantities.</p>	



Friday, October 02, 2020

Attn: Raju Vasamsetti
Weston & Sampson
712 Brook St
Rocky Hill, CT 06067

Project ID: ORANGE MS4
SDG ID: GCG87776
Sample ID#s: CG87776 - CG87782

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

October 02, 2020

SDG I.D.: GCG87776

Project ID: ORANGE MS4

Client Id	Lab Id	Matrix
35-622	CG87776	STORM WATER
36-612	CG87777	STORM WATER
45-622	CG87778	STORM WATER
342	CG87779	STORM WATER
08-623	CG87780	STORM WATER
14-623	CG87781	STORM WATER
15-623	CG87782	STORM WATER



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 02, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook St
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: _____
Received by: SW
Analyzed by: see "By" below

Date Time

09/30/20 7:00
09/30/20 13:15

Project ID: ORANGE MS4
Client ID: 35-622

Laboratory Data

SDG ID: GCG87776

Phoenix ID: CG87776

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	18400	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 02, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 02, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook St
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: _____
Received by: SW
Analyzed by: see "By" below

Date Time

09/30/20 7:25
09/30/20 13:15

Project ID: ORANGE MS4
Client ID: 36-612

Laboratory Data

SDG ID: GCG87776

Phoenix ID: CG87777

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	16300	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 02, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 02, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook St
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: _____
Received by: SW
Analyzed by: see "By" below

Date Time

09/30/20 7:57
09/30/20 13:15

Project ID: ORANGE MS4
Client ID: 45-622

Laboratory Data

SDG ID: GCG87776

Phoenix ID: CG87778

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	7750	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 02, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 02, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook St
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: _____
Received by: SW
Analyzed by: see "By" below

Date Time

09/30/20 8:10
09/30/20 13:15

Project ID: ORANGE MS4
Client ID: 342

Laboratory Data

SDG ID: GCG87776

Phoenix ID: CG87779

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	19600	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 02, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 02, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook St
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: _____
Received by: SW
Analyzed by: see "By" below

Date Time

09/30/20 8:23
09/30/20 13:15

Project ID: ORANGE MS4
Client ID: 08-623

Laboratory Data

SDG ID: GCG87776

Phoenix ID: CG87780

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	2030	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 02, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 02, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook St
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: _____
Received by: SW
Analyzed by: see "By" below

Date Time

09/30/20 8:44
09/30/20 13:15

SDG ID: GCG87776

Phoenix ID: CG87781

Project ID: ORANGE MS4
Client ID: 14-623

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	34700	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 02, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 02, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook St
Rocky Hill, CT 06067

Sample Information

Matrix: STORM WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: _____
Received by: SW
Analyzed by: see "By" below

Date Time

09/30/20 8:56
09/30/20 13:15

SDG ID: GCG87776

Phoenix ID: CG87782

Project ID: ORANGE MS4
Client ID: 15-623

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	4760	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	09/30/20 14:50	LJ/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 02, 2020

Reviewed and Released by: Rashmi Makol, Project Manager

Friday, October 02, 2020

Criteria: CT: GWP, SWP

State: CT

Sample Criteria Exceedances Report

GCG87776 - WESTSAMP

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
*** No Data to Display ***								

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedances. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

October 02, 2020

SDG I.D.: GCG87776

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.



Tuesday, October 13, 2020

Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Project ID: ORANGE MS4

SDG ID: GCG95039

Sample ID#s: CG95039 - CG95046

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301

CT Lab Registration #PH-0618

MA Lab Registration #M-CT007

ME Lab Registration #CT-007

NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003

NY Lab Registration #11301

PA Lab Registration #68-03530

RI Lab Registration #63

UT Lab Registration #CT00007

VT Lab Registration #VT11301



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

October 13, 2020

SDG I.D.: GCG95039

Project ID: ORANGE MS4

Client Id	Lab Id	Matrix
01-623	CG95039	SURFACE WATER
13-623	CG95040	SURFACE WATER
11-612	CG95041	SURFACE WATER
12-612	CG95042	SURFACE WATER
13-612	CG95043	SURFACE WATER
14-612	CG95044	SURFACE WATER
10-612	CG95045	SURFACE WATER
12-623	CG95046	SURFACE WATER



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 13, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Sample Information

Matrix: SURFACE WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: BH
Received by: LB
Analyzed by: see "By" below

Date

Time

10/12/20

8:30

10/12/20

12:39

Project ID: ORANGE MS4
Client ID: 01-623

Laboratory Data

SDG ID: GCG95039

Phoenix ID: CG95039

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	1110	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 13, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 13, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Sample Information

Matrix: SURFACE WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: BH
Received by: LB
Analyzed by: see "By" below

Date

Time

10/12/20

8:47

10/12/20

12:39

Laboratory Data

SDG ID: GCG95039

Phoenix ID: CG95040

Project ID: ORANGE MS4
Client ID: 13-623

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	342	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 13, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 13, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Sample Information

Matrix: SURFACE WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: BH
Received by: LB
Analyzed by: see "By" below

Date

Time

10/12/20

8:57

10/12/20

12:39

Laboratory Data

SDG ID: GCG95039

Phoenix ID: CG95041

Project ID: ORANGE MS4
Client ID: 11-612

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	218	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 13, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 13, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Sample Information

Matrix: SURFACE WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: BH
Received by: LB
Analyzed by: see "By" below

Date

Time

10/12/20 9:05

12:39

Project ID: ORANGE MS4
Client ID: 12-612

Laboratory Data

SDG ID: GCG95039

Phoenix ID: CG95042

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	728	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 13, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 13, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Sample Information

Matrix: SURFACE WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: BH
Received by: LB
Analyzed by: see "By" below

Date

Time

10/12/20

9:10

10/12/20

12:39

Project ID: ORANGE MS4
Client ID: 13-612

Laboratory Data

SDG ID: GCG95039

Phoenix ID: CG95043

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	2930	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 13, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 13, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Sample Information

Matrix: SURFACE WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: BH
Received by: LB
Analyzed by: see "By" below

Date

Time

10/12/20

9:15

10/12/20

12:39

Project ID: ORANGE MS4
Client ID: 14-612

Laboratory Data

SDG ID: GCG95039

Phoenix ID: CG95044

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	8210	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 13, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 13, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Sample Information

Matrix: SURFACE WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: BH
Received by: LB
Analyzed by: see "By" below

Date

Time

10/12/20

9:24

10/12/20

12:39

Project ID: ORANGE MS4
Client ID: 10-612

Laboratory Data

SDG ID: GCG95039

Phoenix ID: CG95045

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	3680	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 13, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 13, 2020

FOR: Attn: Raju Vasamsetti
Weston & Sampson
712 Brook Street Suite 103
Rocky Hill, CT 06067

Sample Information

Matrix: SURFACE WATER
Location Code: WESTSAMP
Rush Request: Standard
P.O. #:

Custody Information

Collected by: BH
Received by: LB
Analyzed by: see "By" below

Date

Time

10/12/20

9:40

10/12/20

12:39

Project ID: ORANGE MS4
Client ID: 12-623

Laboratory Data

SDG ID: GCG95039

Phoenix ID: CG95046

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	1710	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SM9223B-04
Total Coliforms	>48400	20	MPN/100 mls	20	10/12/20 14:35	C/KDB	SW9223B-06

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

October 13, 2020

Reviewed and Released by: Rashmi Makol, Project Manager

Tuesday, October 13, 2020

Criteria: CT: GWP, SWP

State: CT

Sample Criteria Exceedances Report

GCG95039 - WESTSAMP

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
*** No Data to Display ***								

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedances. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

October 13, 2020

SDG I.D.: GCG95039

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.



PHOENIX
Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823

Customer: Weston + Sampson Engineers

Address: 712 Brook St. Suite 103

Rocky Hill, CT

Client Services (860) 645-8726

Project: orange m54
Report to: Raju Venkatesh
Invoice to:
QUOTE #

CHAIN OF CUSTODY RECORD

<p>Coolant: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Coolant: IPK <input type="checkbox"/> ICE <input checked="" type="checkbox"/> No</p> <p>Temp <u>74</u> °C Pg <u>0</u> of <u>0</u> Data Delivery/Contact Options:</p> <p>Fax: _____ Phone: _____ Email: <u>wasamsehri@orangeinc.com</u></p>		
<p>This section MUST be completed with Bottle Quantities.</p>		
<p>Project P.O: <u></u></p>		
<p>Analysis Request</p>		
<p>Sample Matrix</p>		
<p>Customer Sample Identification</p>		
<p>Sampler's Signature <u>Bojan Jujic</u> Date: <u>10/12/20</u></p>		
<p>Matrix Code: <u>GW=Ground Water SW=Surface Water WW=Waste Water</u> <u>SE=Soil SL=Sludge S=Soil SD=Solid W=Wipe OIL=Oil</u></p>		
<p>MSN/SD* <u>GL Member 8 of WH3PO4</u> <u>GL Soil collector 8 of Vials (methylene) (200ml) 100ml 150ml 1500ml</u> <u>GL VOA Vials (methylene) (200ml) 100ml 150ml 1500ml</u> <u>GL Number 100ml 150ml 1500ml 1500ml</u> <u>GL Number 125ml 125ml 125ml 125ml</u> <u>GL Number 250ml 250ml 250ml 250ml</u> <u>GL Number 500ml 500ml 500ml 500ml</u> <u>GL Number 1000ml 1000ml 1000ml 1000ml</u> <u>GL Number 100ml 150ml 1500ml 1500ml</u> <u>GL Number 125ml 125ml 125ml 125ml</u> <u>GL Number 250ml 250ml 250ml 250ml</u> <u>GL Number 500ml 500ml 500ml 500ml</u> <u>GL Number 1000ml 1000ml 1000ml 1000ml</u> <u>GL Number 1500ml 1500ml 1500ml 1500ml</u> <u>GL Number 2000ml 2000ml 2000ml 2000ml</u> <u>GL Number 2500ml 2500ml 2500ml 2500ml</u> <u>GL Number 3000ml 3000ml 3000ml 3000ml</u> <u>GL Number 3500ml 3500ml 3500ml 3500ml</u> <u>GL Number 4000ml 4000ml 4000ml 4000ml</u> <u>GL Number 5000ml 5000ml 5000ml 5000ml</u> <u>GL Number 6000ml 6000ml 6000ml 6000ml</u> <u>GL Number 7000ml 7000ml 7000ml 7000ml</u> <u>GL Number 8000ml 8000ml 8000ml 8000ml</u> <u>GL Number 9000ml 9000ml 9000ml 9000ml</u> <u>GL Number 10000ml 10000ml 10000ml 10000ml</u> <u>GL Number 12000ml 12000ml 12000ml 12000ml</u> <u>GL Number 14000ml 14000ml 14000ml 14000ml</u> <u>GL Number 16000ml 16000ml 16000ml 16000ml</u> <u>GL Number 18000ml 18000ml 18000ml 18000ml</u> <u>GL Number 20000ml 20000ml 20000ml 20000ml</u> <u>GL Number 22000ml 22000ml 22000ml 22000ml</u> <u>GL Number 24000ml 24000ml 24000ml 24000ml</u> <u>GL Number 26000ml 26000ml 26000ml 26000ml</u> <u>GL Number 28000ml 28000ml 28000ml 28000ml</u> <u>GL Number 30000ml 30000ml 30000ml 30000ml</u> <u>GL Number 32000ml 32000ml 32000ml 32000ml</u> <u>GL Number 34000ml 34000ml 34000ml 34000ml</u> <u>GL Number 36000ml 36000ml 36000ml 36000ml</u> <u>GL Number 38000ml 38000ml 38000ml 38000ml</u> <u>GL Number 40000ml 40000ml 40000ml 40000ml</u> <u>GL Number 42000ml 42000ml 42000ml 42000ml</u> <u>GL Number 44000ml 44000ml 44000ml 44000ml</u> <u>GL Number 46000ml 46000ml 46000ml 46000ml</u> <u>GL Number 48000ml 48000ml 48000ml 48000ml</u> <u>GL Number 50000ml 50000ml 50000ml 50000ml</u> <u>GL Number 52000ml 52000ml 52000ml 52000ml</u> <u>GL Number 54000ml 54000ml 54000ml 54000ml</u> <u>GL Number 56000ml 56000ml 56000ml 56000ml</u> <u>GL Number 58000ml 58000ml 58000ml 58000ml</u> <u>GL Number 60000ml 60000ml 60000ml 60000ml</u> <u>GL Number 62000ml 62000ml 62000ml 62000ml</u> <u>GL Number 64000ml 64000ml 64000ml 64000ml</u> <u>GL Number 66000ml 66000ml 66000ml 66000ml</u> <u>GL Number 68000ml 68000ml 68000ml 68000ml</u> <u>GL Number 70000ml 70000ml 70000ml 70000ml</u> <u>GL Number 72000ml 72000ml 72000ml 72000ml</u> <u>GL Number 74000ml 74000ml 74000ml 74000ml</u> <u>GL Number 76000ml 76000ml 76000ml 76000ml</u> <u>GL Number 78000ml 78000ml 78000ml 78000ml</u> <u>GL Number 80000ml 80000ml 80000ml 80000ml</u> <u>GL Number 82000ml 82000ml 82000ml 82000ml</u> <u>GL Number 84000ml 84000ml 84000ml 84000ml</u> <u>GL Number 86000ml 86000ml 86000ml 86000ml</u> <u>GL Number 88000ml 88000ml 88000ml 88000ml</u> <u>GL Number 90000ml 90000ml 90000ml 90000ml</u> <u>GL Number 92000ml 92000ml 92000ml 92000ml</u> <u>GL Number 94000ml 94000ml 94000ml 94000ml</u> <u>GL Number 96000ml 96000ml 96000ml 96000ml</u> <u>GL Number 98000ml 98000ml 98000ml 98000ml</u> <u>GL Number 100000ml 100000ml 100000ml 100000ml</u></p>		
Relinquished by: <u>Bojan Jujic</u> Accepted by: <u>Bojan Jujic</u>	Date: <u>10/12/20</u> Time: <u>12:39</u>	<p>CT (Residential) <input type="checkbox"/> RCP Cert <input type="checkbox"/> MCP Certification</p> <p>(Commercial/Industrial) <input type="checkbox"/> GW Protection <input type="checkbox"/> MWRA eSMART</p> <p>Direct Exposure <input type="checkbox"/> SW Protection <input type="checkbox"/> GW-1</p> <p>Residential DEC <input type="checkbox"/> GA Leachability <input type="checkbox"/> GW-2</p> <p>Residential DEC <input type="checkbox"/> GA Mobility <input type="checkbox"/> GW-3</p> <p>I/C DEC <input type="checkbox"/> GB Leachability <input type="checkbox"/> Residential DEC</p> <p>Other <input type="checkbox"/> Residential DEC <input type="checkbox"/> S-1 GW-1</p> <p>Other <input type="checkbox"/> GA-GW Objectives <input type="checkbox"/> S-2 GW-2</p> <p>Other <input type="checkbox"/> GB-GW Objectives <input type="checkbox"/> S-3 GW-3</p> <p>Other <input type="checkbox"/> SW Protection <input type="checkbox"/> S-1 GW-3</p>
<p>Comments, Special Requirements or Regulations:</p> <p>Turnaround Time:</p> <p><input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Days* <input type="checkbox"/> 3 Days* <input type="checkbox"/> Standard <input type="checkbox"/> Other</p>		
<p>*MS/SD are considered site samples and will be billed as such in accordance with the prices quoted.</p> <p>State where samples were collected: <u>CT</u></p> <p>* SURCHARGE APPLIES</p>		